FALCON 350 ELECTRIC COUNTER FRYERS





KEY FEATURES

- Extended frying performance
 - Oil will last longer due tocool zone strainer preventing debris build-up
- High output
 - Quick recovery time and saves energy costs
- Easy to clean, hygienic
 - Stainless steel finish.

MODELS and ACCESSORIES

E350/38 - Countertop fryer E350/39 - Countertop fryer

• frying basket (full size)

INSTALLATION NOTES

Adequate ventilation must be provided to supply sufficient fresh air and to allow easy removal of any such products that may present a risk to health. Please consult current legislation for details that relate to specific locations.

Install unit on a level, fireproof surface in a well-lit position. If floor is made of a combustible material, local fire requirements must be checked to ensure compliance.


A clearance of 150mm should be observed between appliance and any combustible wall.





FALCON 350 ELECTRIC COUNTER FRYERS

MODEL DIMENSIONS (in mm)



SPECIFICATION DETAILS

	E350/38	E350/39
Electrical rating (kW)	5.3	10.5
Electrical supply voltage	400 - 415V 3N~ / 230 - 240V~	400 - 415V 3N~ / 230 - 240V~
Required electrical supply 230 - 240V~ (amps)	100	100
Required electrical supply 400 - 415V 3N~ (amps)	40	40
Electrical current split (amps)	L1: 7.5 / L2: 7.5 / L3: 7.5	L1: 14.9 / L2: 14.9 / L3: 14.9
Oil capacity (litres)	6.5	13 (6.5 per pan)
Chip output per hour * (kg)	22.7	45.4 (22.7 per pan)
Weight (kg)	26	62
Packed weight (kg)	32	72

