F900 SERIES



E9341F Single Pan, Twin Basket Fryer



Short Form Specification

Unit to be Falcon F900 Series high performance electric single pan, twin basket fryer with in-built filtration. Unit to be supplied upon adjustable feet with a working oil capacity of 20 litres.

The pan will be of open well design to allow easy cleaning of the pan. Unit to be supplied with two baskets with coated handles that can be positioned at pan rear for oil drain off and storage.

Oil to be drained from pan into oil bucket that is to be self-contained inside the unit base. The oil temperature will be thermostatically controlled via precise controls from 130-190°C. The unit will have safety thermostat fitted as standard to prevent unit from overheating.

The hob will be constructed from 2mm 304 grade stainless steel. Hobs will be laser cut with right-angled edges to allow joining of units with no gaps between hobs. Exterior panels are Scotch Brite finish stainless steel. Control knobs to be marked showing temperature positions with a bezel behind control knob to prevent water ingress.

Key Features

- "Eco" setting reduces power consumption during pre-heating and can be used as fat melt mode
- In-built filtration model
- Pressed pan requires just 20 litres of oil to fill
- Manual control system for ease of use
- Fish plate supplied as standard
- Swivel element for pan cleaning access
- Filter bucket situated directly below 1" drain valve
- IPX5 rated
- Supplied upon adjustable stainless steel feet
- 2mm thick 304 grade stainless steel hob
- Laser cut hob allows edge to edge joining of units
- Stainless steel external panels with Scotch Brite finish
- Dynamic Link System Compatible



Integrated linking system allows gap free installation to create a seamless, continuous cookline.

UK Patent No. 2540131

Optional Accessories


- Front hob rail
- Castors






E9341F Single Pan, Twin Basket Fryer

Model Dimensions (mm)





Specification Details

Electrical rating (kW) 19

Electrical supply voltage 400V 3N~ 50/60Hz

Required electrical supply (A) 32

Electrical current split (A) L1: 24.75, L2: 28.88, L3: 27.5

Element rating (kW) 19
Oil capacity (litres) 20

Packed dimensions (mm) 490 (w) x 1000 (d) x 1015 (h)

Weight (kg) 62

Installation Note:

Please consult local legislation with regard to installation of cooking equipment.